ELSEVIER

International Journal of
Food Microbiology 24 (1995) 429–432

International Journal of Food Microbiology

Author index

Ajao, D.B., see Zottola, E.A. (24) 227
Alessandrini, A., see Crociani, F. (24) 199
Arkesteijn, C., see Hazeleger, W. (24) 273
Asensio, M.A., see Rodríguez, M. (24) 329

Baleiras Couto, M.M., Van der Vossen, J.M.B.M., Hofstra, H. and Huis in 't Veld, J.H.J.
RAPD analysis: a rapid technique for differentiation of spoilage yeasts (24) 249
Berg, C., Dahms, S., Hildebrandt, G., Klaschka, S. and Weiss, H.
Microbiological collaborative studies for quality control in food laboratories: Reference material and evaluation of analyst's errors (24) 41
Bermúdez, E., see Rodríguez, M. (24) 329
Beumer, R., see Hazeleger, W. (24) 273
Biavati, B., see Crociani, F. (24) 199
Blais, B.W., see Wang, H. (24) 397
Brimer, L., see Nout, M.J.R. (24) 407
Bruno, M.E.C., see Montville, T.J. (24) 53

Čeřovský, M., see Gilarová, R. (24) 315
Chen, Y.-T., see Lee, C.-Y. (24) 161
Córdoba, J.J., see Rodríguez, M. (24) 329
Coudijzer, K., see Vlaemynck, G. (24) 211
Cozzi, L., see Croci, L. (24) 337
Croci, L., Toti, L., De Medici, D. and Cozzi, L.
Diarrhetic shellfish poison in mussels: comparison of methods of detection and determination of the effectiveness of depuration (24) 337
Crociani, F., Alessandrini, A., Mucci, M.M. and Biavati, B.
Degradation of complex carbohydrates by *Bifidobacterium* spp. (24) 199

Dahms, S., see Berg, C. (24) 41
D'Aoust, J.-Y.
Salmonella and the international food trade (24) 11
Davies, A.R., see De W. Blackburn, C. (24) 125
Davies, R.H. and Wray, C.
An approach to reduction of salmonella infection in broiler chicken flocks through intensive sampling and identification of cross-contamination hazards in commercial hatcheries (24) 147
De Baerdemaeker, J., see Schellekens, M. (24) 1
Debevere, J., see Mares, A. (24) 191
Dellaglio, F., see Guerzoni, M.E. (24) 83
De Medici, D., see Croci, L. (24) 337
Demnerová, K., see Gilarová, R. (24) 315
De W. Blackburn, C. and Davies, A.R.
Development of antibiotic-resistant strains for the enumeration of foodborne pathogenic bacteria in stored foods (24) 125
De Wit, J.C., see Houtsma, P.C. (24) 113
Dinger, E., see Thurm, V. (24) 261
Dobiáš, J., see Gilarová, R. (24) 315

Einarsson, H.
Evaluation of a predictive model for the shelf life of cod (*Gadus morhua*) fillets stored in two different atmospheres at varying temperatures (24) 93

Feely, D.E., see McDougall, L.A. (24) 295

García-López, M.L., see González-Fandos, E. (24) 321
García, M.C., see Sierra, M. (24) 363
García, M.L., see Sierra, M. (24) 363
Geisen, R., see Holzapfel, W.H. (24) 343
Gilarová, R., Voldřich, M., Demnerová, K., Čeřovský, M. and Dobiáš, J.
Cellular fatty acids analysis in the identification of lactic acid bacteria (24) 315
Glass, K.A., see Schoeni, J.L. (24) 385

Gobat, P.-F. and Jemmi, T.
Comparison of seven selective media for the isolation of mesophilic *Aeromonas* species in fish and meat (24) 375
González-Fandos, E., Otero, A., Sierra, M., García-López, M.L. and Prieto, M.
Effect of three commercial starters on growth of *Staphylococcus aureus* and enterotoxins (A–D) and thermonuclease production in broth (24) 321
González Fandos, M.E., see Sierra, M. (24) 363
Gottwaldová, B., see Juríková, K. (24) 419
Guerzoni, M.E., Lanciotti, R., Torriani, S. and Dellaglio, F.
Growth modelling of *Listeria monocytogenes* and *Yersinia enterocolitica* in food model systems and dairy products (24) 83

Halm, M., see Jespersen, L. (24) 239
Harty, D.W.S., Oakey, H.J., Patrikakis, M., Hume, E.B.H. and Knox, K.W.
Pathogenic potential of lactobacilli (24) 179
Hastings, J.W., Stiles, M.E. and Von Holy, A.
Bacteriocins of Leuconostocs isolated from meat (24) 75
Hazeleger, W., Arkesteijn, C., Toorop-Bouma, A. and Beumer, R.
Detection of the coccoid form of *Campylobacter jejuni* in chicken products with the use of the polymerase chain reaction (24) 273
Herman, L., see Vlaemynck, G. (24) 211
Hildebrandt, G., see Berg, C. (24) 41
Hofstra, H., see Baleiras Couto, M.M. (24) 249
Holzapfel, W.H., Geisen, R. and Schillinger, U.
Biological preservation of foods with reference to protective cultures, bacteriocins and food-grade enzymes (24) 343
Holzapfel, W.H., see McDougall, L.A. (24) 295
Houtsma, P.C., Kusters, B.J.M., De Wit, J.C., Rombouts, F.M. and Zwietering, M.H.
Modelling growth rates of *Listeria innocua* as a function of lactate concentration (24) 113
Huis in 't Veld, J.H.J., see Baleiras Couto, M.M. (24) 249
Hume, E.B.H., see Harty, D.W.S. (24) 179

In 't Veld, P., see Notermans, S. (24) 33

Jacková, S., see Juríková, K. (24) 419
Jakobsen, M., see Jespersen, L. (24) 239
Jemmi, T., see Gobat, P.-F. (24) 375
Jespersen, L., Halm, M., Kpodo, K. and Jakobsen, M.
Significance of yeasts and moulds occurring in maize dough fermentation for 'kenkey' production (24) 239
Juríková, K., Gottwaldová, B., Jacková, S. and Šubík, J.
Characterization of *Yersinia enterocolitica* isolated from the oral cavity of swines in Slovakia (24) 419

Klaschka, S., see Berg, C. (24) 41
Knøchel, S., see Little, C.L. (24) 137
Knox, K.W., see Harty, D.W.S. (24) 179
Kpodo, K., see Jespersen, L. (24) 239
Kusters, B.J.M., see Houtsma, P.C. (24) 113

Lanciotti, R., see Guerzoni, M.E. (24) 83
Lee, C.-Y., Tai, C.-L., Lin, S.-C. and Chen, Y.-T.
Occurrence of plasmids and tetracycline resistance among *Campylobacter jejuni* and *Campylobacter coli* isolated from whole market chickens and clinical samples (24) 161
Lin, S.-C., see Lee, C.-Y. (24) 161
Little, C.L. and Knøchel, S.
Growth and survival of *Yersinia enterocolitica*, *Salmonella* and *Bacillus cereus* in Brie stored at 4, 8 and 20°C (24) 137
Lopez, S.E., see Robiglio, A.L. (24) 413

Machado, R.A., see Romero Ayulo, A.M. (24) 171
Mackey, B.M., see Schellekens, M. (24) 1
Mares, A., Neyts, K. and Debevere, J.
Influence of pH, salt and nitrite on the heme-dependent catalase activity of lactic acid bacteria (24) 191
Martens, T., see Schellekens, M. (24) 1
McDermott, J.L., see Schoeni, J.L. (24) 385
McDougall, L.A., Holzapfel, W.H., Schillinger, U., Feely, D.E. and Rupnow, J.H.
Scanning electron microscopy of target cells and molecular weight determination of a bacteriocin produced by *Lactococcus lactis* D53 (24) 295
Mohácsi-Farkas, C., see Reichart, O. (24) 103
Montville, T.J. and Bruno, M.E.C.
Evidence that dissipation of proton motive force is a common mechanism of action for bacteriocins and other antimicrobial proteins (24) 53

Moreno, B., see Sierra, M. (24) 363
Mucci, M.M., see Crociani, F. (24) 199

Neyts, K., see Mares, A. (24) 191
Nicolaï, B.M., see Schellekens, M. (24) 1
Notermans, S. and In 't Veld, P.
Microbiological challenge testing for ensuring safety of food products (24) 33
Nout, M.J.R., Tunçel, G. and Brimer, L.
Microbial degradation of amygdalin of bitter apricot seeds (*Prunus armeniaca*) (24) 407
Núñez, F., see Rodríguez, M. (24) 329

Oakey, H.J., see Harty, D.W.S. (24) 179
Otero, A., see González-Fandos, E. (24) 321

Patrikakis, M., see Harty, D.W.S. (24) 179
Prieto, M., see González-Fandos, E. (24) 321

Qvist, S., Sehested, K. and Zeuthen, P.
Growth suppression of *Listeria monocytogenes* in a meat product (24) 283

Reichart, O. and Mohácsi-Farkas, C.
Mathematical modelling of the combined effect of water activity, pH and redox potential on the heat destruction (24) 103
Roberts, R.F., see Zottola, E.A. (24) 227
Roberts, T.A., see Schellekens, M. (24) 1
Robiglio, A.L. and Lopez, S.E.
Mycotoxin production by *Alternaria alternata* strains isolated from red delicious apples in Argentina (24) 413
Rodríguez, M., Núñez, F., Córdoba, J.J., Sanabria, C., Bermúdez, E. and Asensio, M.A.
Characterization of *Staphylococcus* spp. and *Micrococcus* spp. isolated from Iberian ham throughout the ripening process (24) 329
Rombouts, F.M., see Houtsma, P.C. (24) 113
Romero Ayulo, A.M., Machado, R.A. and Scussel, V.M.
Enterotoxigenic *Escherichia coli* and *Staphylococcus aureus* in fish and seafood from the southern region of Brazil (24) 171
Rupnow, J.H., see McDougall, L.A. (24) 295

Sanabria, C., see Rodríguez, M. (24) 329
Schaffner, D.W.
Application of a statistical bootstrapping technique to calculate growth rate variance for modelling psychrotrophic pathogen growth (24) 309
Schellekens, M., Martens, T., Roberts, T.A., Mackey, B.M., Nicolaï, B.M., Van Impe, J.F. and De Baerdemaeker, J.
Computer aided microbial safety design of food processes (24) 1
Schillinger, U., see Holzapfel, W.H. (24) 343
Schillinger, U., see McDougall, L.A. (24) 295
Schoeni, J.L., Glass, K.A., McDermott, J.L. and Wong, A.C.L.
Growth and penetration of *Salmonella enteritidis*, *Salmonella heidelberg* and *Salmonella typhimurium* in eggs (24) 385
Scussel, V.M., see Romero Ayulo, A.M. (24) 171
Sehested, K., see Qvist, S. (24) 283
Sierra, M., González Fandos, M.E., García, M.C., García, M.L. and Moreno, B.
Numerical taxonomy of an 'atypical' population of Gram-positive cocci isolated from freshly dressed lamb carcasses (24) 363
Sierra, M., see González-Fandos, E. (24) 321
Stiles, M.E., see Hastings, J.W. (24) 75
Šubík, J., see Juríková, K. (24) 419

Tai, C.-L., see Lee, C.-Y. (24) 161
Thurm, V. and Dinger, E.
Application of subtyping by combined allozyme, whole-cell protein and antibiotic resistance analysis in epidemiological investigations of food-borne infections (24) 261
Toorop-Bouma, A., see Hazeleger, W. (24) 273
Torriani, S., see Guerzoni, M.E. (24) 83
Toti, L., see Croci, L. (24) 337
Tunçel, G., see Nout, M.J.R. (24) 407

Van der Vossen, J.M.B.M., see Baleiras Couto, M.M. (24) 249
Van Impe, J.F., see Schellekens, M. (24) 1
Vlaemynck, G., Herman, L. and Coudijzer, K.
Isolation and characterization of two bacteriocins produced by *Enterococcus faecium* strains inhibitory to *Listeria monocytogenes* (24) 211
Voldřich, M., see Gilarová, R. (24) 315
Von Holy, A., see Hastings, J.W. (24) 75

Wang, H., Blais, B.W. and Yamazaki, H.
Rapid and economical detection of *Salmonella enteritidis* in eggs by the polymyxin-cloth enzyme immunoassay (24) 397
Weiss, H., see Berg, C. (24) 41
Wong, A.C.L., see Schoeni, J.L. (24) 385
Wray, C., see Davies, R.H. (24) 147

Yamazaki, H., see Wang, H. (24) 397
Yezzi, T.L., see Zottola, E.A. (24) 227

Zeuthen, P., see Qvist, S. (24) 283
Zottola, E.A., Yezzi, T.L., Ajao, D.B. and Roberts, R.F.
Utilization of cheddar cheese containing nisin as an antimicrobial agent in other foods (24) 227
Zwietering, M.H., see Houtsma, P.C. (24) 113

ELSEVIER

International Journal of
Food Microbiology 24 (1995) 433–434

International Journal of Food Microbiology

Subject index

Aeromonas, (24) 375
Aflatoxins, (24) 239
Agar, (24) 375
Allozyme pattern, (24) 261
Alternariol, (24) 413
Alternariol-methyl-ether, (24) 413
Amygdalin, (24) 407
Analysis of variance, (24) 41
Analyst performance, (24) 41
Antibiotic resistance, (24) 11
Antibiotic-resistant strains, (24) 125
Antimicrobial, (24) 227
Antimicrobial activity, (24) 75
Apples, (24) 413
Apricot seeds, (24) 407
Aquaculture, (24) 11
Autoagglutination, (24) 419

Bacillus cereus, (24) 137
Bacteriocin, (24) 75, (24) 295
Bacteriocins, (24) 53, (24) 211, (24) 343
Binding of dyes, (24) 419
Bioenergetics, (24) 53
Biological preservation, (24) 343
Bootstrap technique, (24) 309

Calcium dependence, (24) 419
Campylobacter jejuni, (24) 161, (24) 273
Carbohydrates degradation, identification, *Bifidobacterium*, (24) 199
Carcasses, (24) 363
Cellular fatty acid analysis, (24) 249
Cheddar cheese, (24) 227
Chicken products, (24) 273
Chicks, (24) 147
Cod (*Gadus morhua*), (24) 93
Cold-pack cheese spread, (24) 227
Colicins, (24) 53
Collagen, (24) 179
Computer aided design, (24) 1
Conductance, (24) 125
Contamination, (24) 171
Cyanogenic, (24) 407

Dairy products, (24) 83
Defensins, (24) 53
Depuration, (24) 337
Detection, (24) 273
Determination method, (24) 337
Detoxification, (24) 407
Dry cured ham, (24) 329
Dry sausage production, (24) 191
DSP toxin, (24) 337

Egg, (24) 397
Eggs, (24) 147, (24) 385
Electron microscopy, (24) 295
Endocarditis, (24) 179
Endomyces fibuliger, (24) 407
Enrichment, (24) 397
Enterococcus, (24) 211
Enterotoxigenicity, (24) 171
Enterotoxins, (24) 321
Enumeration, (24) 125
Enzymes, (24) 343
Epidemiological typing, (24) 261
Escherichia coli, (24) 171

Fatty acids, (24) 315
Fermentation, (24) 239
Fibronectin, (24) 179
Fish, (24) 171, (24) 375
Food-borne infections, (24) 261
Food microbiology, (24) 261
Food safety, (24) 33, (24) 343
Fruits, (24) 11
Fungi, (24) 407

Gas chromatography, (24) 315
Good laboratory practice, (24) 41
Growth, (24) 137, (24) 385

Growth modelling, (24) 83
Growth rate variance, (24) 309
Growth, survival, (24) 125

Hatchery, (24) 147
Heat destruction, (24) 103
Heme-dependent catalase activity, (24) 191

Identification, (24) 249
Impedance, (24) 125
Isolation, (24) 375

Lactic acid bacteria, (24) 191, (24) 315, (24) 343
Lactobacillus, (24) 179
Lactococcus lactis, (24) 295
Lamb, (24) 363
Leucocin, (24) 75
Leuconostoc, (24) 75
Listeria innocua, (24) 113
Listeria monocytogenes, (24) 53, (24) 83, (24) 211, (24) 283, (24) 309

Maize dough, (24) 239
Mathematical modelling, (24) 103
Meat, (24) 375
Meat product, (24) 283
Microbiological challenge testing, (24) 33
Micrococcaceae, (24) 363
Micrococci, (24) 329
Modelling, (24) 1, (24) 113
Modified atmosphere, (24) 93
Molecular weight, (24) 295
Moulds, (24) 239
Mouldy heart, (24) 413
Mussels, (24) 337

NaCl, (24) 113
Nisin, (24) 227
Nitrite, (24) 191
Non-culturable coccoid cells, (24) 273

tet O probe, (24) 161

Pasteurized process cheese spread, (24) 227
Pathogenic bacteria, (24) 125
PCR, (24) 273
Penetration, (24) 385
pH, (24) 103, (24) 113, (24) 191

Pigs, (24) 419
Plasmid, (24) 161
Plate count method, (24) 41
Platelets, (24) 179
Polymyxin-cloth enzyme immunoassay, (24) 397
Poultry, (24) 147
Prediction, (24) 93
Predictive microbiology, (24) 309
Predictive model validation, (24) 137
Probiotics, (24) 179
Protective cultures, (24) 343
Proton motive force, (24) 53
Pyrazinamidase, (24) 419

Quality assurance, (24) 41

RAPD, (24) 249
Redox potential, (24) 103
Reference material, (24) 41

Safety, (24) 1
Salmonella, (24) 11, (24) 137, (24) 147, (24) 385
Salmonella enteritidis, (24) 397
Salt, (24) 191
Seafood, (24) 171
Serogroup D1 antiserum, (24) 397
Shelf life, (24) 93
Sodium lactate, (24) 113
Sodium lactate, pH, (24) 283
Sodium nitrite, (24) 283
Specific growth rate, (24) 113
Spices, (24) 11
Spoilage yeasts, (24) 249
Stabilised Brie, (24) 137
Staphylococci, (24) 329
Staphylococcus aureus, (24) 171, (24) 321
Starter, (24) 321
Storage of apples, (24) 413
Subtyping, (24) 261

Temperature, (24) 113
Tetracycline resistance, (24) 161
Thermonuclease, (24) 321

Vegetables, (24) 11
Virulence plasmid, (24) 419

Water activity, (24) 103
Whole-cell protein profile, (24) 261
Whole market chicken, (24) 161

Yeasts, (24) 239, (24) 407
Yersinia enterocolitica, (24) 83, (24) 137, (24) 309, (24) 419